

**SPB Number: 2024.0101**

**EXTERIOR UPDATES**

[X] All RW Stores





**THE CLIPS BELOW ARE TAKEN FROM THE STANDALONE PROTOTYPE**

Issued: 05/10/2024

**STANDARD PLAN BULLETIN NOTICE**  
**RaceWay Engineering and Construction Division**

1. **DOWNSPOUT UPDATE:** Update keynote #5 on A100 to call for downspout on front elevation to be placed close to front corner of Hardie and to be painted Urbane Bronze #7048. Updated notation on section 4/A410

- Sheets: A100, A300, A410
- Attachment: A100, A300, A410





**2. COMPRESSION CAP PAINT:** Update the manufacturer and color for M-1, M-2, and M-13.

- Sheets: A300
- Attachment: A300

| EXTERIOR MATERIAL SCHEDULE |                  |                                           |                                                                                                                                                    | EXTERIOR MATERIAL SCHEDULE |                                                |                                                   |                                                                                                         | EXTERIOR MATERIAL SCHEDULE |                                                |                                                                        |                                                                                                     |
|----------------------------|------------------|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------------|---------------------------------------------------|---------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| BRICK                      |                  |                                           |                                                                                                                                                    | METAL                      |                                                |                                                   |                                                                                                         | M-13                       |                                                |                                                                        |                                                                                                     |
| BR-2                       | GENERAL SHALE    | BRICK VENEER                              | STONE MOUNTAIN <sup>®</sup> ARGOS MASONRY CEMENT + MORTAR COLOR "MAGNOLIA DARK"                                                                    | M-1                        | PREFINISHED 4" 2-PIECE COMPRESSION METAL COVER |                                                   | MANUFACTURER: EXCEPTIONAL METALS COLOR: EM SLATE GRAY (ALTERNATE MATERIAL TO BE SUBMITTED FOR APPROVAL) | M-13                       | PREFINISHED 5" 2-PIECE COMPRESSION METAL COVER |                                                                        | MANUFACTURER: EXCEPTIONAL METALS COLOR: EM TUNDRA (ALTERNATE MATERIAL TO BE SUBMITTED FOR APPROVAL) |
| CEMENT BOARD               |                  |                                           |                                                                                                                                                    | M-2                        | PREFINISHED 5" 2-PIECE COMPRESSION METAL COVER |                                                   | MANUFACTURER: EXCEPTIONAL METALS COLOR: EM SLATE GRAY (ALTERNATE MATERIAL TO BE SUBMITTED FOR APPROVAL) | M-15                       | PREFINISHED 4" 2-PIECE COMPRESSION METAL COVER |                                                                        | METAL TO MATCH M-8                                                                                  |
| HP-2                       | JAMES HARDIE     | SMOOTH LAP SIDING (OR APPROVED ALTERNATE) | PAINT SHERWIN WILLIAMS URBANE BRONZE #7048. INSTALL PER MANUFACTURER RECOMMENDATION                                                                | M-3                        | OLD CASTLE                                     | FG-3000 STOREFRONT SYSTEM (OR APPROVED ALTERNATE) | PREFINISHED DARK BRONZE ANODIZED ALUMINUM AA M12C22A44                                                  | WINDOW FILM                |                                                |                                                                        |                                                                                                     |
| EXTERIOR PAINT             |                  |                                           |                                                                                                                                                    | M-5                        | BERRIDGE                                       | CORRUGATED METAL                                  | PREFINISHED 24-GA CITYSCAPE                                                                             | WF-1                       | NGS                                            | WINDOW FILM: 3M PRESTIGE 70 SOLAR FILM                                 | SEE A600 FOR WINDOW FILM LOCATIONS                                                                  |
| EP-3                       | SHERWIN WILLIAMS |                                           | PAINTED SHERWIN WILLIAMS "URBANE BRONZE" #7048                                                                                                     | M-8                        | ALPOLIC                                        | ACM                                               | TRD RED                                                                                                 | WF-2                       | NGS                                            | CUSTOM COLOR - MATCH VINYL FILM TO PMS 485 FOR 1ST SURFACE APPLICATION | SEE A600 FOR WINDOW FILM LOCATIONS, NGS TO FURNISH AND INSTALL                                      |
| GLAZING                    |                  |                                           |                                                                                                                                                    | M-9                        | ALPOLIC                                        | ACM                                               | HYB BLUE                                                                                                |                            |                                                |                                                                        |                                                                                                     |
| GL-1                       |                  | 1" NON-IMPACT RATED INSULATED GLAZING     | CLIMATE ZONE 2 OR 3. IGU AT STOREFRONT 0.28 U-FACTOR, SHGC PF>0.25= 27 (1/4" SOLARBAN 70-XL LOW-E #2 +1/2 AIRE + 1/4" CLEAR) OR APPROVED ALTERNATE | M-10                       | ALPOLIC                                        | ACM                                               | AGT GREY                                                                                                |                            |                                                |                                                                        |                                                                                                     |
|                            |                  |                                           |                                                                                                                                                    | M-11                       | ALPOLIC                                        | ACM                                               | CNC CHARCOAL                                                                                            |                            |                                                |                                                                        |                                                                                                     |

**3. FRONT BUILDING CANOPY LIGHTS:** Update locations for all lights including the addition of two lights. Adjust lights to be centered on canopy portion extending past building face.


- Sheets: A150, E150
- Attachment: A150, E150



SIGNER NOTE:  
1. LIGHT ZONE PER 2015  
C AND 2017 FECC.  
2. LIGHT ZONE INCLUDES


4. **'ON THE GO" SIGNAGE BLOCKING:** Add blocking behind OTG sign so aluminum sign can be mounted to the ACM.

- Sheets: A410, A420, A430
- Attachment: A430



4 VINYL SIGNAGE BLOCKING @ ACM  
 1 1/2" = 1'-0"

DESIGNER NOTE: FOR FULL ENHANCED EDO REAR ENTRY. DELETE FOR SIDE-COURT REAR ENTRY OR NO REAR ENTRY OPTIONS.




12 VINYL SIGNAGE BLOCKING @ HARDIE  
 1 1/2" = 1'-0"

5. **CORNELL DOOR:** Paint color updated on door schedule and key note added to A300 to indicate factory painting.

- Sheets: A300, A700
- Attachment: A300, A700

|                      |         |       |           |              |                                  |        |        |        |           |                                                 |
|----------------------|---------|-------|-----------|--------------|----------------------------------|--------|--------|--------|-----------|-------------------------------------------------|
| RAL 7039 QUARTZ GREY | CORNELL | 823 C | BY MANUF. | HOLLOW METAL | ANODIZED<br>RAL 7039 QUARTZ GREY | 8/A701 | 9/A701 | 5/A432 | BY MANUF. | FACTORY PAINTED; INSULATED DOOR; R-VALUE = 5.21 |
|----------------------|---------|-------|-----------|--------------|----------------------------------|--------|--------|--------|-----------|-------------------------------------------------|



18 FACTORY PAINTED DOOR; BRAKE METAL TO BE PROVIDED ALONG DOOR SIDES; SEE DOOR SCHEDULE AND A701 FOR DETAILS

6. EXTERIOR COLOR UPDATES: Paint on Exterior Material Schedule and Door Schedule updated.


- Sheets: A300, A700
- Attachment: A300, A700


| DOOR SCHEDULE |                      |                  |           |       |        |           |                                          |                            |               |       |                 |               |                       |           |           |           |           |              |                                           | APPLICABLE SFD(S)                                                              |  |
|---------------|----------------------|------------------|-----------|-------|--------|-----------|------------------------------------------|----------------------------|---------------|-------|-----------------|---------------|-----------------------|-----------|-----------|-----------|-----------|--------------|-------------------------------------------|--------------------------------------------------------------------------------|--|
| MARK          | LOCATION             | NUMBER OF LEAVES | DOOR TYPE | DOOR  |        |           |                                          |                            |               |       |                 |               |                       | FRAME     |           |           |           | HARDWARE SET | FIRE RATING                               | COMMENTS                                                                       |  |
|               |                      |                  |           | WIDTH | HEIGHT | DEPTH     | MATERIAL                                 | FINISH                     | MANUFACTURER  | MODEL | FRAME TYPE      | MATERIAL      | FINISH                | HEAD      | JAMB      | SILL      |           |              |                                           |                                                                                |  |
| 1             | SALES FLOOR          | 2                | A         | 3'-0" | 7'-0"  | 0'-1 3/4" | GLASS/ALUM                               | PARK # NO 2E A NO 2ES      | OLD CASTLE    | -     | STD REFRONT A/B | ALUMINUM      | PARK # NO 2E A NO 2ES | TAN/GR    | 3047D1    | 3047D1    | 3047D1    | 1            | -                                         | PAIR OF 3000 - MED HSTL WITH 12" BOTTOM RAIL, SHOC VALVE 7/32", D-VALUE = 5.21 |  |
| 2             | BACKROOM BY STO NOSE | 1                | C         | 3'-0" | 7'-0"  | 0'-1 3/4" | NO LLOW METAL                            | EP-3                       | -             | -     | 2               | NO LLOW METAL | EP-3                  | 3047D1    | 3047D1    | 3047D1    | 4         | -            | INSULATED 3000 R, R-VALUE = 5.21          |                                                                                |  |
| 3             | SALES FLOOR          | 1                | B         | 3'-0" | 7'-0"  | 0'-1 3/4" | GLASS/ALUM                               | PARK # NO 2E A NO 2ES      | OLD CASTLE    | -     | STD REFRONT A/B | ALUMINUM      | PARK # NO 2E A NO 2ES | TAN/GR    | 3047D1    | 3047D1    | 3047D1    | 1            | -                                         | MED HSTL WITH 12" 12" BOTTOM RAIL, SHOC VALVE 7/32", D-VALUE = 5.21            |  |
| 4             | ELECTRICAL CLOSET    | 1                | B         | 3'-0" | 7'-0"  | 0'-1 3/4" | STEEL                                    | RAL TOP QUARTZ GREY        | CO RABELL     | 823 C | BY MANUF.       | NO LLOW METAL | RAL TOP QUARTZ GREY   | 3047D1    | 3047D1    | 3047D1    | 3047D1    | BY MANUF.    | 1                                         | FACTORY PARTIES; INSULATED 300 R, R-VALUE = 5.21                               |  |
| 5             | DATA CLOSET          | 2                | O         | 3'-0" | 7'-0"  | 0'-1 3/4" | SOLID CORE PARTICLE BOARD (PAINT ORA 8E) | FACTORY PRIMED             | MILGEMIN      | 7002  | 1               | BY MANUF.     | BY MANUF.             | BY MANUF. | BY MANUF. | BY MANUF. | BY MANUF. | 1            | -                                         | DOVERED 3000 BY MILLING & VERBOD, PAINTED IP-2 BOTH SIDES                      |  |
| 6             | SALES FLOOR          | 1                | C         | 3'-0" | 7'-0"  | 0'-1 3/4" | SOLID CORE PARTICLE BOARD (PAINT ORA 8E) | FACTORY PRIMED             | VT INDUSTRIES | 303H  | 1               | NO LLOW METAL | IP-2                  | 3047D1    | 3047D1    | 3047D1    | 4         | -            | 3000 ERCT 3000 P, PAINTED IP-2 BOTH SIDES |                                                                                |  |
| 7             | HOMERS RESTROOM      | 1                | C         | 3'-0" | 7'-0"  | 0'-1 3/4" | SOLID CORE PARTICLE BOARD                | WILSON KART C GREY 3003-40 | VT INDUSTRIES | 303H  | 1               | NO LLOW METAL | IP-2                  | 3047D1    | 3047D1    | 3047D1    | 3         | -            | DOVERED 3000 P, PAINTED IP-2 BOTH SIDES   |                                                                                |  |
| 8             | UTILITY              | 1                | C         | 3'-0" | 7'-0"  | 0'-1 3/4" | SOLID CORE PARTICLE BOARD                | WILSON KART C GREY 3003-40 | VT INDUSTRIES | 303H  | 1               | NO LLOW METAL | IP-2                  | 3047D1    | 3047D1    | 3047D1    | 2         | -            | DOVERED 3000 P, PAINTED IP-2 BOTH SIDES   |                                                                                |  |
| 9             | WEEKS RESTROOM       | 1                | C         | 3'-0" | 7'-0"  | 0'-1 3/4" | SOLID CORE PARTICLE BOARD                | WILSON KART C GREY 3003-40 | VT INDUSTRIES | 303H  | 1               | NO LLOW METAL | IP-2                  | 3047D1    | 3047D1    | 3047D1    | 3         | -            | DOVERED 3000 P, PAINTED IP-2 BOTH SIDES   |                                                                                |  |
| 10            | BEVERAGE COOLER      | 1                | B         | 3'-0" | 7'-0"  | 0'-1 3/4" | GLASS                                    | BY MANUF.                  | RED K.O. INC. | #1038 | BY MANUF.       | GLASS/ALUM    | BY MANUF.             | ---       | ---       | ---       | ---       | 6            | -                                         | REAL THERMOMETER, HEATED VENT, LIGHT SWITCH, 10" STEEL KICK PLATE              |  |
| 11            | MANAGER OFFICE       | 1                | O         | 3'-0" | 7'-0"  | 0'-1 3/4" | SOLID CORE PARTICLE BOARD (PAINT ORA 8E) | FACTORY PRIMED             | VT INDUSTRIES | 303H  | 1               | NO LLOW METAL | BY MANUF.             | 3047D1    | 3047D1    | ---       | ---       | 2            | -                                         | DOVERED 3000 P, PAINTED IP-2 BOTH SIDES                                        |  |

| EXTERIOR MATERIAL SCHEDULE |                                                |         |                                                                                                               | EXTERIOR MATERIAL SCHEDULE |                                                |                                        |                                                                                                           |
|----------------------------|------------------------------------------------|---------|---------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------------|----------------------------------------|-----------------------------------------------------------------------------------------------------------|
| METAL                      |                                                |         |                                                                                                               |                            |                                                |                                        |                                                                                                           |
| M-1                        | PREFINISHED 4" 2-PIECE COMPRESSION METAL COVER |         | MANUFACTURER: EXCEPTIONAL METALS<br>COLOR: EM SLATE GRAY<br>(ALTERNATE MATERIAL TO BE SUBMITTED FOR APPROVAL) | M-13                       | PREFINISHED 5" 2-PIECE COMPRESSION METAL COVER |                                        | MANUFACTURER: EXCEPTIONAL METALS<br>COLOR: EM TUNDRA<br>(ALTERNATE MATERIAL TO BE SUBMITTED FOR APPROVAL) |
| M-2                        | PREFINISHED 5" 2-PIECE COMPRESSION METAL COVER |         | MANUFACTURER: EXCEPTIONAL METALS<br>COLOR: EM SLATE GRAY<br>(ALTERNATE MATERIAL TO BE SUBMITTED FOR APPROVAL) | M-15                       | PREFINISHED 4" 2-PIECE COMPRESSION METAL COVER |                                        | METAL TO MATCH M-8                                                                                        |
| M-3                        | OLD CASTLE                                     | FG-3000 | PREFINISHED DARK                                                                                              | WINDOW FILM                |                                                |                                        |                                                                                                           |
|                            |                                                |         |                                                                                                               | WVF-1                      | NGS                                            | WINDOW FILM; 3M PRESTIGE 70 SOLAR FILM | SEE A600 FOR WINDOW FILM LOCATIONS                                                                        |

7. ACM BREAK METAL AT STOREFRONT: G.C. to provide and install a strip of bronze brake metal to match storefront to infill gap between the end of the red ACM and the storefront. Keynote #5 added to A150.

- Sheets: A150, A430
- Attachment: A150, A430





|   |                                                                                                                                                                                                               |    |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 4 | LIGHTS TO BE MOUNTED 11'-0" A.F.F.                                                                                                                                                                            | 3. |
| 5 | BRONZE BRAKE METAL PROVIDED AND INSTALLED BY G.C TO INFILL GAP BETWEEN ACM CANOPY AND STOREFRONT. BRAKE METAL TO EXTEND ALONG ENTIRE LENGTH OF STOREFRONT; COLOR TO MATCH STOREFRONT. SEE 9/A430 FOR DETAILS. | 4. |
| 6 | ACM PANEL REVEAL                                                                                                                                                                                              | 5. |
|   |                                                                                                                                                                                                               | 6. |

**8. REAR SIGNAGE ACCESS PANEL:** Access panel and maintenance platform added to the EDO Enhanced Rear Entry option for access to signage electrical.

- Sheets: A420
- Attachment: A420

